

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/068,444	02/06/2002	Giovanni M. Della-Libera	13768.1074	9546
2590 00252010 WORKMAN NYDEGGER/MICROSOFT 1000 EAGLE GATE TOWER 66 EAST SOUTH TEMPLE SALT LAKE CITY, UT 84111			EXAMINER	
			HOMAYOUNMEHR, FARID	
			ART UNIT	PAPER NUMBER
	,		2439	
			MAIL DATE	DELIVERY MODE
			03/25/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

#### UNITED STATES PATENT AND TRADEMARK OFFICE

# BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Ex parte: GIOVANNI M. DELLA-LIBERA, CHRISTOPHER G. KALER, SCOTT A. KONERSMANN, BUTLER W. LAMPSON, PAUL J. LEACH, BRADFORD H. LOVERING, STEVEN E. LUCCO, STEPHEN J. MILLET, RICHARD F. RASHID, and JOHN P. SHEWCHUK

Application No. 10/068,444 Technology Center 2400

Mailed: March 25, 2010

Before Deborah L. Perry, Supervisory Paralegal Specialist, Review Team.

### ORDER RETURNING UNDOCKETED APPEAL TO EXAMINER

This application was electronically received by the Board of Patent Appeals and Interferences on March 15, 2010. A review of the application revealed that it is not ready for docketing as an appeal. Accordingly, the application is herewith being returned to the Examiner to address the following matter(s) requiring attention prior to docketing.

### NOTICE OF APPEAL

The Image File Wrapper does not contain a copy of the Notice of Appeal for the above application. Before the appeal can be docketed, the Notice of Appeal must be scanned into the file.

### CONCLUSION

Accordingly, it is

ORDERED that the application is returned to the Examiner to:

- 1) obtain a copy of the Notice of Appeal;
- 2) have the Notice of Appeal scanned into the IFW; and
- 3) for such further action as may be appropriate.

If there are any questions pertaining to this Order, please contact the Board of Patent Appeals and Interferences at 571-272-9797.

DLP/bar

WORKMAN NYDEGGER/MICROSOFT 1000 EAGLE GATE TOWER 60 EAST SOUTH TEMPLE SALT LAKE CITY, UT 84111